

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	55	"128"/\$.ccls. and (adjustable with bellows)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/06/05 12:10
S1	619	(128/203.28,204.28,205.14,205.15,205.16,205.17).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/25 11:32
S2	293	S1 and (bellows bag rebreather bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 11:57
S3	313	(128/205.13).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/25 11:57
S4	644	(128/203.28,205.13,205.14,205.17).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/27 13:00
S5	341	((128/203.28,205.13,205.14,205.17).CCLS.) and (bag bellow squeeze bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 13:04
S6	111	((128/203.28,205.13,205.14,205.17).CCLS.) and (bag bellow squeeze bulb)) and rigid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 13:09
S7	64	((128/203.28,205.13,205.14,205.17).CCLS.) and (bag bellow squeeze bulb)) and collapse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 13:24
S8	1096	((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/31 12:44

EAST Search History

S9	363	((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213)).CCLS.) and (bellow bag squeeze bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 13:34
S10	14	(d23/384).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/27 13:35
S11	1396	"222"\$.ccls. and bellows	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 13:36
S12	468	("222"\$.ccls. and bellows) and rigid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 13:36
S13	72	((("222"\$.ccls. and bellows) and rigid) and squeeze	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 13:38
S14	0	417/472.\$ccls. and bellows	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 13:38
S15	101	417/472.ccls. and bellows	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/27 13:38
S16	1096	((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/31 15:57
S17	247	((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213)).CCLS.) and pressure and volume	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 12:46

EAST Search History

S18	10	(((((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213))).CCLS.) and pressure and volume) and (bellows bag)) and restrictor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 13:54
S19	176	(((((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213))).CCLS.) and pressure and volume) and (bellows bag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 13:04
S20	807	"128"/\$.ccls. and ((pressure near restrictor) (pressure near regulator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 13:05
S21	249	("128"/\$.ccls. and ((pressure near restrictor) (pressure near regulator))) and (obstruct stop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 13:40
S22	241	((("128"/\$.ccls. and ((pressure near restrictor) (pressure near regulator))) and (obstruct stop)) and flow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 13:24
S23	117	((("128"/\$.ccls. and ((pressure near restrictor) (pressure near regulator))) and (obstruct stop)) and flow) and conduit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 13:25
S24	74	((("128"/\$.ccls. and ((pressure near restrictor) (pressure near regulator))) and (obstruct stop)) and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 13:41
S25	33	((("128"/\$.ccls. and ((pressure near restrictor) (pressure near regulator))) and (obstruct stop)) and controller) not (((("128"/\$.ccls. and ((pressure near restrictor) (pressure near regulator))) and (obstruct stop)) and flow) and conduit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 13:41
S26	281	(((((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213))).CCLS.) and (bellow bag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 13:55

EAST Search History

S27	211	(((((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213)).CCLS.) and (bellow bag)) and valve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 13:55
S28	199	(((((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213)).CCLS.) and (bellow bag)) and valve) and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 14:05
S29	455	"128"/\$.ccls. and stopper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 14:07
S30	158	("128"/\$.ccls. and stopper) and spring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 14:07
S31	112	((("128"/\$.ccls. and stopper) and spring) and flow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 14:14
S32	1463	(128/204.22,204.23,205.25,207.16).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/31 14:14
S33	1126	((128/204.22,204.23,205.25,207.16).CCLS.) and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 14:15
S34	17	(((((128/204.22,204.23,205.25,207.16).CCLS.) and pressure) and stopper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 14:16
S35	398	(((((128/204.22,204.23,205.25,207.16).CCLS.) and pressure) and conduit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 14:16

EAST Search History

S36	513	(((128/204.22,204.23,205.25,207.16).CCLS.) and pressure) and (block obstruct impede)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 14:18
S37	1011	(((128/204.22,204.23,205.25,207.16).CCLS.) and pressure) and flow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 14:18
S38	483	(((128/204.22,204.23,205.25,207.16).CCLS.) and pressure) and (block obstruct impede)) and flow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 14:19
S39	381	((((128/204.22,204.23,205.25,207.16).CCLS.) and pressure) and (block obstruct impede)) and flow) and (conduit aperture opening)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 14:25
S40	250	"128"/.ccls. and (flow adj restrictor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 15:51
S41	684	(417/234,305).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/31 15:52
S42	5	((417/234,305).CCLS.) and (bellows and bag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 15:53
S43	295	(417/472).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/03/31 15:53
S44	276	(((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213)).CCLS.) and volume	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 15:58

EAST Search History

S45	208	(((((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213)).CCLS.) and volume) and (bag bellows bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 16:19
S46	0	(((((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213)).CCLS.) and (pressure adj restrictor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 16:20
S47	6	(((((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213)).CCLS.) and (flow adj restrictor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 16:21
S48	5	(((((128/204.28,205.15,205.16) or (604/37,142,212,213,214,215,216,213)).CCLS.) and ((rotary rotate rotating) near valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 16:28
S49	9	"128"/\$.ccls. and (pressure adj restrictor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 16:32
S50	310	pressure adj restrictor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 16:32
S51	56	(pressure adj restrictor) and rotate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 16:42
S52	248	"128"/\$.ccls. and (over adj pressure) and (valve restrictor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 16:45
S53	50	((((((128/204.22,204.23,205.25,207.16).CCLS.) and pressure) and (block obstruct impede)) and flow) and (conduit aperture opening)) and bellows	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 16:45
S54	45	("128"/\$.ccls. and (over adj pressure) and (valve restrictor)) and bellows	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 16:50

EAST Search History

S55	1002	"128"/\$.ccls. and bellows	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 16:50
S56	115	("128"/\$.ccls. and bellows) and (pressure adj regulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 17:09
S57	231	"128"/\$.ccls. and resuscitator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 17:10
S58	202	("128"/\$.ccls. and resuscitator) and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 17:10
S59	55	((("128"/\$.ccls. and resuscitator) and pressure) and restrict\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/31 17:11
S60	1370	maguire.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/04 14:49
S61	30	S60 and (michael near maguire)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/04 14:49
S62	9950	bellow	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/04 14:55
S63	115	bellow same manual\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/04 14:57
S64	2965	bellows same flat	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/04 14:57
S65	203	bellows same flat same rigid	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/04 15:11

EAST Search History

S66	0	(mirror same view same face) and (xray)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/04 15:12
S67	1	(mirror same view same patient) and (xray)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/04 15:13
S68	442	(mirror same view same patient)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/04 15:14
S69	11	"128"/\$.ccls. and (bellow bag) and (adjustable same airflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/11 11:33
S70	16	"128"/\$.ccls. and (bellows bag) and (adjustable same airflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/11 11:33
S71	1458	128/205.13,204.18,205.16.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/11 11:35
S72	227	S71 and bellows	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/11 11:47
S73	214	S72 and (airflow pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/11 11:47
S74	88	S72 and adjustable	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/11 11:47